

CASQUE

CROCHET ADAPTATEUR LAMPE FRONTALE POUR CASQUE



AS1227

Jeu de crochets pour casque

Couleur : **Noir**

Taille : **Unique**



Marque : Auboueix - Code : EP001769 - Unité de vente : Lot De 2

V3_{air}

 **suprabeam**[®]
| DENMARK

PACKAGING



340 LUMENS

SPECIFICATIONS



3xAAA



195 m



140 g



10° - 70°

WHAT'S IN THE BOX

HEADLAMP



BATTERIES



MANUAL



UNIQUE SELLING POINTS (USP)

SLIDING HYPERFOCUS™

The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. Just slide the head of the lamp for the correct light setting.


ELECTRONIC DIMMING

With our Intelligent Light Control and electronic dimming you can get just the right light output you need for a given situation. Dim the light stepless from 160 down to 6 lumens simply by holding a button.

SOFT FOAM PAD

The soft foam pad on the back of the lamp head gives you extra comfort on the forehead. You no longer have to worry about a sore forehead, when wearing the headlamp for longer periods of time.

LIGHT CURVE AND RUNTIMES



MAX

340 LUMENS
34

3 h | 30 min

STANDARD

110 LUMENS
11

10 h

DIMMING

160 LUMENS
6

7-80 h

SPECIFICATIONS

LED / Focus configuration:	1 CREE Power Chip / Sliding Hyperfocus™
Case Material / Surface Treatment:	Hi-Tech Plastic Compound / Aluminium
Case Color:	Black / Anthracite Dark Grey
Switch:	Metal Switch Below Head - Max, Dimmer with Memory and Transportation lock
Headband:	Split with silicone stripes, Fits to 50-70 centimeters
Weight incl. battery:	140g
Ingress Protection Rating:	Splash Waterproof IPx4
Temperature:	-20°C to +50°C

ELECTRONICS

Built in Controller:	Yes, 3-step controller by press
Standard Power Source:	3 x AAA
Beam / Distance:	Variable from Spot to Floodlight / 195 Meters
Luminous Flux:	Max: 340 lm / Standard 110 lm / Dimming: 6-160 lm
Lighting Time:	Max: 3h 30min / Standard: 10h / Dimming: 80h
Accessories included:	Removable, Washable Headband

PACKAGING

Customs Tariff Number:	8513 1000
Packaging:	Presentation tube
Single Box Content / Size / Weight:	1 pcs, height/diameter, 15.8 x 6.5 cm / 222 g
Master Box Content / Size / Weight:	72 pcs, 40.5 x 41 x 36 cm / 16.4 kg
Order's Address:	info@suprabeam.com

FEATURES




INTELLIGENT LIGHT CONTROL (ILC)

Our intelligent light control lets you switch between different light outputs



COOLING CORE

The high strength aluminium cooperates with the "heatsink" to cool off the LED



SLIDING FOCUS

Focus from wide floodlight to spotlight with a simple slide of the lamp head



WATER RESISTENT - IPX4

This IP-rating indicates that your product is water resistant



ELECTRONIC DIMMING

Our electronic dimming lets you dim the light to the desired level with ease



ADJUSTABLE ANGLE

Adjust the angle of your headlamp for all kinds of situations



TRANSPORTATION LOCK

Lets you lock the buttons on your headlamp for transportation